

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

VIRKON S TABLETS

Version	Revision Date:	SDS Number:	Date of last issue: 23.04.2018
2.0	14.06.2018	103000008500	Country / Language: GB / EN(GB)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : VIRKON S TABLETS

Product code : 57804688

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Disinfectants

1.3 Details of the supplier of the safety data sheet

Supplier : Antec International Limited
Windham Road
Chilton Industrial Estate
CO10 2XD Sudbury / Suffolk, United Kingdom

Telephone : +4922188852288

E-mail address of person
responsible for the SDS : infosds@lanxess.com

1.4 Emergency telephone number

0870 190 6777. National Chemical Emergency Centre

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Chronic aquatic toxicity, Category 3	H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements : H315 Causes skin irritation.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

VIRKON S TABLETS

Version	Revision Date:	SDS Number:	Date of last issue: 23.04.2018
2.0	14.06.2018	103000008500	Country / Language: GB / EN(GB)

H318 Causes serious eye damage.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements :

Prevention:

P264 Wash skin thoroughly after handling.
P273 Avoid release to the environment.
P280 Wear protective gloves/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

pentapotassium bis(peroxymonosulphate) bis(sulphate)
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts
potassium hydrogensulphate
dipotassium disulphate

Additional Labelling

EUH208 Contains dipotassium peroxodisulphate. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
pentapotassium bis(peroxymonosulphate) bis(sulphate)	70693-62-8 274-778-7 01-2119485567-22	Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 Aquatic Chronic 3; H412	>= 30 - < 50

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

VIRKON S TABLETS

Version 2.0 Revision Date: 14.06.2018 SDS Number: 103000008500 Date of last issue: 23.04.2018
Country / Language: GB / EN(GB)

malic acid	6915-15-7 230-022-8 01-2119906954-31	Eye Irrit. 2; H319	$\geq 20 - < 30$
sulphamidic acid	5329-14-6 226-218-8 016-026-00-0 01-2119488633-28	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Aquatic Chronic 3; H412	$\geq 2,5 - < 10$
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	68411-30-3 270-115-0 01-2119489428-22	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412	$\geq 3 - < 10$
potassium hydrogensulphate	7646-93-7 231-594-1 016-056-00-4	Skin Corr. 1B; H314 Eye Dam. 1; H318 STOT SE 3; H335; Respiratory system	$\geq 1 - < 3$
dipotassium disulphate	7790-62-7 232-216-8	Acute Tox. 3; H331 Skin Corr. 1A; H314 Eye Dam. 1; H318	$\geq 1 - < 3$
dipotassium peroxodisulphate	7727-21-1 231-781-8 016-061-00-1 01-2119495676-19	Ox. Sol. 3; H272 Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 STOT SE 3; H335; Respiratory system	$\geq 0,1 - < 1$

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : If skin irritation persists, call a physician.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

VIRKON S TABLETS

Version	Revision Date:	SDS Number:	Date of last issue: 23.04.2018
2.0	14.06.2018	103000008500	Country / Language: GB / EN(GB)

Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No special measures required.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : In case of fire, use water spray (fog), foam or dry chemical.

Unsuitable extinguishing media : Carbon dioxide (CO₂)
High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Sulphur oxides
Metal oxides
Carbon dioxide (CO₂)
Carbon monoxide
Nitrogen oxides (NO_x)
Halogenated compounds

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



VIRKON S TABLETS

Version	Revision Date:	SDS Number:	Date of last issue: 23.04.2018
2.0	14.06.2018	103000008500	Country / Language: GB / EN(GB)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Neutralize with chalk, alkali solution or ammonia.
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.
For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Protect from moisture.

Avoid formation of respirable particles.
Do not breathe vapours/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.

Hygiene measures : When using do not eat or drink. When using do not smoke.
Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Protect from moisture.

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Electrical installa-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

VIRKON S TABLETS

Version 2.0	Revision Date: 14.06.2018	SDS Number: 103000008500	Date of last issue: 23.04.2018 Country / Language: GB / EN(GB)
----------------	------------------------------	-----------------------------	---

tions / working materials must comply with the technological safety standards.

Advice on common storage : Do not store near acids.

Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

This information is not available.

Personal protective equipment

Eye protection : Tightly fitting safety goggles

Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Hand protection

Material : Butyl rubber - IIR
Wearing time : < 60 min

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves. After contamination with product change the gloves immediately and dispose of them according to relevant national and local regulations

Skin and body protection : Wear suitable protective clothing.

Dust impervious protective suit
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : Dust-protection mask if there is a risk of dust formation.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

VIRKON S TABLETS

Version 2.0	Revision Date: 14.06.2018	SDS Number: 103000008500	Date of last issue: 23.04.2018 Country / Language: GB / EN(GB)
----------------	------------------------------	-----------------------------	---

Appearance	: tablet
Colour	: pink
Odour	: odourless
Odour Threshold	: No data available
pH	: 2,6 - 3,2 Concentration: 10 %
Melting point/freezing point	: No data available
Boiling point/boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: No data available
Solubility(ies) Water solubility	: 65 g/l
Partition coefficient: n-octanol/water	: No data available
Ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2 Other information

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

VIRKON S TABLETS

Version	Revision Date:	SDS Number:	Date of last issue: 23.04.2018
2.0	14.06.2018	103000008500	Country / Language: GB / EN(GB)

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : Exposure to moisture

10.5 Incompatible materials

Materials to avoid : Combustible substances
Strong bases

10.6 Hazardous decomposition products

Hazardous decomposition products : Chlorine
Sulphur oxides
Hypochlorites

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, male and female): 4.123 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male and female): > 3,7 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: the particle size measurements of the product indicate that it is not respirable and therefore not bioavailable by the inhalation route.

Acute dermal toxicity : LD50 (Rat, male and female): > 5.000 mg/kg
Remarks: Extrapolation according to Regulation (EC) No. 440/2008

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

VIRKON S TABLETS

Version	Revision Date:	SDS Number:	Date of last issue: 23.04.2018
2.0	14.06.2018	103000008500	Country / Language: GB / EN(GB)

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Acute oral toxicity	: LD50 (Rat, male and female): 500 mg/kg Method: OECD Test Guideline 423
Acute inhalation toxicity	: LC0 (Rat, male): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity Remarks: Highest producible concentration.
Acute dermal toxicity	: LD50 (Rat, male and female): > 5.000 mg/kg Method: OECD Test Guideline 402 Remarks: Extrapolation according to Regulation (EC) No. 440/2008

malic acid:

Acute oral toxicity	: LD50 (Rat, male and female): 3.500 mg/kg Method: OECD Test Guideline 401 GLP: no
Acute inhalation toxicity	: LC0 (Rat, male and female): > 1,306 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Remarks: Highest producible concentration.
Acute dermal toxicity	: LD50 (Rabbit, female): > 5.000 mg/kg Method: OECD Test Guideline 401 GLP: no

sulphamidic acid:

Acute oral toxicity	: LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 401
Acute dermal toxicity	: LD50 (Rat, male and female): > 5.000 mg/kg Method: OECD Test Guideline 402 GLP: yes Remarks: Extrapolation according to Regulation (EC) No. 440/2008

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Acute oral toxicity	: LD50 (Rat, male and female): 1.220 mg/kg Method: OECD Test Guideline 401
Acute dermal toxicity	: LD50 (Rat, male and female): > 5.000 mg/kg Method: OECD Test Guideline 402

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



VIRKON S TABLETS

Version 2.0	Revision Date: 14.06.2018	SDS Number: 103000008500	Date of last issue: 23.04.2018 Country / Language: GB / EN(GB)
----------------	------------------------------	-----------------------------	---

GLP: yes
Remarks: Extrapolation according to Regulation (EC) No. 440/2008

potassium hydrogensulphate:

Acute oral toxicity : LD50 (Rat): 2.340 mg/kg

dipotassium disulphate:

Acute oral toxicity : LD50 (Rat, male): 2.140 mg/kg
Method: OECD Test Guideline 401
Remarks: Test results on an analogous product

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

Assessment: The component/mixture is toxic after short term inhalation.

dipotassium peroxodisulphate:

Acute oral toxicity : LD50 (Rat): 700 mg/kg

Acute toxicity estimate: 500 mg/kg
Method: Converted acute toxicity point estimate

Acute inhalation toxicity : LC0 (Rat): > 2,95 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Remarks: Highest producible concentration.

Acute dermal toxicity : LD50 (Rabbit): > 10.000 mg/kg

Skin corrosion/irritation

Product:

Species: Rabbit
Method: OECD Test Guideline 404
Result: Irritating to skin.

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Species: Rabbit
Method: OECD Test Guideline 404
Result: Causes burns.

malic acid:

Species: Rabbit
Method: OECD Test Guideline 404
Result: No skin irritation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



VIRKON S TABLETS

Version	Revision Date:	SDS Number:	Date of last issue: 23.04.2018
2.0	14.06.2018	103000008500	Country / Language: GB / EN(GB)

sulphamidic acid:

Species: Rabbit
Method: OECD Test Guideline 404
Result: Irritating to skin.

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Species: Rabbit
Method: OECD Test Guideline 404
Result: Irritating to skin.

potassium hydrogensulphate:

Assessment: Causes burns.

dipotassium disulphate:

Assessment: Causes severe burns.

dipotassium peroxodisulphate:

Species: Rabbit
Method: OECD Test Guideline 404
Result: Irritating to skin.

Serious eye damage/eye irritation

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Species: Rabbit
Method: OECD Test Guideline 405
Result: Risk of serious damage to eyes.

malic acid:

Species: Rabbit
Method: OECD Test Guideline 405
Result: Irritating to eyes.

sulphamidic acid:

Species: Rabbit
Method: OECD Test Guideline 405
Result: Irritating to eyes.

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Species: Rabbit
Method: OECD Test Guideline 405
Result: Risk of serious damage to eyes.

dipotassium disulphate:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



VIRKON S TABLETS

Version	Revision Date:	SDS Number:	Date of last issue: 23.04.2018
2.0	14.06.2018	103000008500	Country / Language: GB / EN(GB)

Assessment: Risk of serious damage to eyes.

dipotassium peroxodisulphate:

Result: Irritating to eyes.

Respiratory or skin sensitisation

Product:

Exposure routes: Skin contact

Species: Guinea pig

Method: OECD Test Guideline 406

Result: Did not cause sensitisation on laboratory animals.

Exposure routes: Inhalation

Species: Mammal - species unspecified

Method: Expert judgement

Result: Does not cause respiratory sensitisation.

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Exposure routes: Skin contact

Species: Guinea pig

Method: OECD Test Guideline 406

Result: Does not cause skin sensitisation.

malic acid:

Exposure routes: Skin contact

Species: Guinea pig

Method: OECD Test Guideline 406

Result: Did not cause sensitisation on laboratory animals.

GLP: yes

sulphamidic acid:

Result: Did not cause sensitisation on laboratory animals.

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Exposure routes: Skin contact

Species: Guinea pig

Method: OECD Test Guideline 406

Result: Did not cause sensitisation on laboratory animals.

dipotassium peroxodisulphate:

Exposure routes: Inhalation

Species: Mammal - species unspecified

Result: May cause sensitisation by inhalation.

Exposure routes: Skin contact

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



VIRKON S TABLETS

Version 2.0	Revision Date: 14.06.2018	SDS Number: 103000008500	Date of last issue: 23.04.2018 Country / Language: GB / EN(GB)
----------------	------------------------------	-----------------------------	---

Species: Mouse
Method: OECD Test Guideline 429
Result: May cause sensitisation by skin contact.

Germ cell mutagenicity

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Genotoxicity in vitro : Test system: Mammalian-Animal
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: positive
GLP: yes

Test system: Bacteria
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test system: Mammalian-Human
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: positive
GLP: yes

Genotoxicity in vivo : Species: Mammalian-Animal
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative

malic acid:

Genotoxicity in vitro : Remarks: Not mutagenic in a standard battery of genetic toxicological tests.

sulphamidic acid:

Genotoxicity in vitro : Test system: Mammalian-Human
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 487
Result: negative
GLP: yes

Test system: Mammalian-Animal
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

Test system: Bacteria
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



VIRKON S TABLETS

Version 2.0	Revision Date: 14.06.2018	SDS Number: 103000008500	Date of last issue: 23.04.2018 Country / Language: GB / EN(GB)
----------------	------------------------------	-----------------------------	---

Result: negative

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Genotoxicity in vitro : Test Type: Ames test
Test system: Bacteria
Metabolic activation: with and without metabolic activation
Result: negative

Genotoxicity in vivo : Test Type: Cytogenetic assay
Species: Mouse
Application Route: Oral
Result: negative

dipotassium peroxodisulphate:

Genotoxicity in vitro : Remarks: Not mutagenic in a standard battery of genetic toxicological tests.

Carcinogenicity

Components:

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Species: Rat
Application Route: Oral
Exposure time: 2 Years
Result: negative

Reproductive toxicity

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Effects on foetal development : Remarks: No teratogenic or foetotoxic effects were found at all dose levels tested.

malic acid:

Effects on foetal development : Remarks: No known significant effects or critical hazards.

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Effects on foetal development : Species: Rat, female
Application Route: Oral
Dose: 600 milligram per kilogram
Duration of Single Treatment: 15 d
Remarks: No known significant effects or critical hazards.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

VIRKON S TABLETS

Version	Revision Date:	SDS Number:	Date of last issue: 23.04.2018
2.0	14.06.2018	103000008500	Country / Language: GB / EN(GB)

STOT - single exposure

Components:

potassium hydrogensulphate:

Assessment: May cause respiratory irritation.

dipotassium peroxodisulphate:

Assessment: May cause respiratory irritation.

Repeated dose toxicity

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Species: Rat, male and female

LOAEL: > 1.000 mg/kg

Application Route: Oral

Exposure time: 28 d

Number of exposures: 7 days/week

Method: OECD Test Guideline 407

Remarks: Subacute toxicity

Species: Rat, male and female

LOAEL: 600 mg/kg

Application Route: Oral

Exposure time: 90 d

Number of exposures: 7 days/week

Method: OECD Test Guideline 408

Remarks: Subchronic toxicity

malic acid:

Remarks: No known significant effects or critical hazards.

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Species: Rat, male and female

NOAEL: 50 mg/kg

Application Route: Oral

Exposure time: 12 Weeks

Remarks: Subchronic toxicity

Further information

Product:

Remarks: No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

VIRKON S TABLETS

Version	Revision Date:	SDS Number:	Date of last issue: 23.04.2018
2.0	14.06.2018	103000008500	Country / Language: GB / EN(GB)

SECTION 12: Ecological information

12.1 Toxicity

Product:

- Toxicity to fish : LC50 (Salmo salar (Atlantic salmon)): 24,6 mg/l
Exposure time: 96 h
Method: Regulation (EC) No. 440/2008, Annex, C.1
Remarks: Fresh water
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 6,5 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Fresh water
- Toxicity to algae : NOEC (Desmodesmus subspicatus (green algae)): 6,25 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Fresh water

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 53 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
GLP: yes
Remarks: Fresh water
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3,5 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
GLP: yes
Remarks: Fresh water
- Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (microalgae)): > 1 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: yes
Remarks: Fresh water
- NOEC (Pseudokirchneriella subcapitata (microalgae)): 0,5 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: yes
Remarks: Fresh water

malic acid:

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l
Exposure time: 96 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

VIRKON S TABLETS

Version	Revision Date:	SDS Number:	Date of last issue: 23.04.2018
2.0	14.06.2018	103000008500	Country / Language: GB / EN(GB)

Method: OECD Test Guideline 203
GLP: yes
Remarks: Fresh water

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 240 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
GLP: yes
Remarks: Fresh water

Toxicity to algae : EC50 (algae): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: yes
Remarks: Fresh water

NOEC (algae): 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: yes
Remarks: Fresh water

sulphamidic acid:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 70,3 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
GLP: no
Remarks: Fresh water

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 71,6 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
GLP: yes
Remarks: Fresh water

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): 48 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: yes
Remarks: Fresh water

NOEC (Desmodesmus subspicatus (green algae)): 18 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: yes
Remarks: Fresh water

Toxicity to microorganisms : EC50 : > 200 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
GLP: yes
Remarks: Fresh water

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



VIRKON S TABLETS

Version	Revision Date:	SDS Number:	Date of last issue: 23.04.2018
2.0	14.06.2018	103000008500	Country / Language: GB / EN(GB)

Toxicity to fish (Chronic toxicity) : NOEC: ≥ 60 mg/l
Exposure time: 34 d
Species: Danio rerio (zebra fish)
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 19 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 1,67 mg/l
Exposure time: 96 h
Method: OPPTS 850.1075

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2,9 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
GLP: yes
Remarks: Fresh water

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): 10 - 100 mg/l
Exposure time: 72 h

NOEC (Chlorella vulgaris (Fresh water algae)): 3,1 mg/l
Exposure time: 15 d

Toxicity to fish (Chronic toxicity) : NOEC: 1 mg/l
Exposure time: 28 Days
Species: Lepomis macrochirus (Bluegill sunfish)
Method: OECD Test Guideline 204
GLP: no
Remarks: Fresh water

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1,18 mg/l
Exposure time: 21 Days
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211
GLP: no
Remarks: Fresh water

dipotassium disulphate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 680 mg/l
Exposure time: 96 h
Remarks: Fresh water

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 720 mg/l
Exposure time: 48 h
Remarks: Fresh water

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

VIRKON S TABLETS

Version	Revision Date:	SDS Number:	Date of last issue: 23.04.2018
2.0	14.06.2018	103000008500	Country / Language: GB / EN(GB)

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (microalgae)): 1.492 mg/l
Exposure time: 96 h
Remarks: Fresh water

EC10 (Pseudokirchneriella subcapitata (microalgae)): 656 mg/l
Exposure time: 96 h
Remarks: Fresh water

Toxicity to fish (Chronic toxicity) : NOEC: > 595 mg/l
Exposure time: 7 Days
Species: Pimephales promelas (fathead minnow)
Remarks: Fresh water

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 790 mg/l
Exposure time: 7 Days
Species: Ceriodaphnia dubia (Water flea)
Remarks: Fresh water

dipotassium peroxodisulphate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 76,3 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 120 mg/l
Exposure time: 48 h

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (microalgae)): 83,7 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Ecotoxicology Assessment

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

12.2 Persistence and degradability

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Biodegradability : Result: The methods for determining the biological degradability are not applicable to inorganic substances.

malic acid:

Biodegradability : Test Type: aerobic
Result: Readily biodegradable.
Biodegradation: 67,5 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

VIRKON S TABLETS

Version	Revision Date:	SDS Number:	Date of last issue: 23.04.2018
2.0	14.06.2018	103000008500	Country / Language: GB / EN(GB)

GLP: yes

sulphamidic acid:

Biodegradability : Result: The methods for determining the biological degradability are not applicable to inorganic substances.

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Biodegradability : Test Type: aerobic
Inoculum: activated sludge
Concentration: 34,3 mg/l
Result: Readily biodegradable.
Biodegradation: 83 %
Exposure time: 28 d
Method: OECD Test Guideline 301B
GLP: yes

dipotassium disulphate:

Biodegradability : Result: The methods for determining the biological degradability are not applicable to inorganic substances.

dipotassium peroxodisulphate:

Biodegradability : Result: The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Partition coefficient: n-octanol/water : log Pow: < 0,3
Method: OECD Test Guideline 117

malic acid:

Partition coefficient: n-octanol/water : log Pow: -1,26

sulphamidic acid:

Partition coefficient: n-octanol/water : log Pow: -4,34

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Partition coefficient: n-octanol/water : log Pow: 1,4
Method: OECD Test Guideline 123

12.4 Mobility in soil

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



VIRKON S TABLETS

Version	Revision Date:	SDS Number:	Date of last issue: 23.04.2018
2.0	14.06.2018	103000008500	Country / Language: GB / EN(GB)

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life.
Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user / Additional advice

Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



VIRKON S TABLETS

Version	Revision Date:	SDS Number:	Date of last issue: 23.04.2018
2.0	14.06.2018	103000008500	Country / Language: GB / EN(GB)

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC)
Schedules of Toxic Chemicals and Precursors : Not applicable

REACH - Restrictions on the manufacture, placing on
the market and use of certain dangerous substances,
preparations and articles (Annex XVII) : Not applicable

REACH - Candidate List of Substances of Very High
Concern for Authorisation (Article 59). : Not applicable

REACH - List of substances subject to authorisation
(Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that de-
plete the ozone layer : Not applicable

Regulation (EC) No 850/2004 on persistent organic pol-
lutants : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of
major-accident hazards involving dangerous substances.
Not applicable

15.2 Chemical safety assessment

not applicable

SECTION 16: Other information

Full text of H-Statements

H272	: May intensify fire; oxidizer.
H302	: Harmful if swallowed.
H314	: Causes severe skin burns and eye damage.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H331	: Toxic if inhaled.
H334	: May cause allergy or asthma symptoms or breathing difficul- ties if inhaled.
H335	: May cause respiratory irritation.
H412	: Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



VIRKON S TABLETS

Version	Revision Date:	SDS Number:	Date of last issue: 23.04.2018
2.0	14.06.2018	103000008500	Country / Language: GB / EN(GB)

Aquatic Chronic	: Chronic aquatic toxicity
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Ox. Sol.	: Oxidizing solids
Resp. Sens.	: Respiratory sensitisation
Skin Corr.	: Skin corrosion
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
STOT SE	: Specific target organ toxicity - single exposure

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

Further information

Classification of the mixture:

Skin Irrit. 2	H315
Eye Dam. 1	H318
Aquatic Chronic 3	H412

Classification procedure:

Based on product data or assessment
Calculation method
Calculation method

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet and its Annex [if required according to Regulation (EC) 1907/2006 (REACH)] is to describe the products in terms of their safety requirements. The given details do not imply any guarantee concerning the composition, properties or performance.